

THE OLD MILL COLLECTION

Issue date: 11/02/2022

Version: 3 (04/10/2021)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Candle - Rock Salt & Driftwood (10%) FRAG0860-C10%

Version: 3

#### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** Candle - Rock Salt & Driftwood (10%) FRAG0860-C10%

Other identifiers: None

## 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Indoor Candle

#### 1.3 Details of the supplier of the safety data sheet

Company name: The Old Mill Collection, No 9 Chestnut Road, The Old Mill Estate,

Bradley Village, Wrexham, LL11 4BX

Contact: Amy Conner

E-Mail address: info@theoldmillcollection.co.uk

**Company phone:** 07985720461

# 1.4 Emergency telephone number

**Emergency phone:** 07580555919

#### Section 2. Hazards identification

# 2.1 Classification of the substance or mixture

## Classification under Regulation (EC) No 1272/2008

Class and category of Hazardous to the Aquatic Environment - Long-term Hazard Category 3

**danger:** H412, Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

# Classification under Regulation (EC) No 1272/2008

Signal word: None

**Hazard statements:** H412, Harmful to aquatic life with long lasting effects.

**Supplemental** EUH208, Contains (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one, 4-tert-Butylcyclohexyl acetate,

Information: Acetyl cedrene, Hexyl salicylate, Linalool, Linalyl acetate, Methyl atrarate, alpha-iso-

Methylionone. May produce an allergic reaction.

**Precautionary** P102, Keep out of reach of children.

statements: P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Issue date: 11/02/2022



Version: 3 (04/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product:

Candle - Rock Salt & Driftwood (10%) FRAG0860-C10%

Version: 3

Pictograms: None

2.3 Other hazards

Other hazards: None

## Section 3. Composition / information on ingredients

#### 3.2 Mixtures

## **Contains:**

| Name   | CAS        | EC        | REACH Registration No. | %       | Classification for (CLP) 1272/2008   |
|--|------------|-----------|------------------------|---------|--|
| 4-tert-Butylcyclohexyl acetate                   | 32210-23-4 | 250-954-9 |                        | 0.1-<1% | Skin Sens. 1B;H317,-   |
| Linalool   | 78-70-6    | 201-134-4 |                        | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2-<br>Skin Sens. 1B;H315-<br>H317-H319,-                        |
| Hexyl salicylate                                 | 6259-76-3  | 228-408-6 |                        | 0.1-<1% | Skin Irrit. 2-Skin Sens.<br>1-Aquatic Acute 1-<br>Aquatic Chronic 1;<br>H315-H317-H410,- |
| (Z)-3,4,5,6,6-<br>Pentamethylhept-3-en-<br>2-one | 81786-73-4 | 279-822-9 |                        | 0.1-<1% | Skin Sens. 1B-Aquatic<br>Chronic 2;H317-H411,-   |
| alpha-iso-Methylionone                           | 127-51-5   | 204-846-3 |                        | 0.1-<1% | Skin Sens. 1B-Aquatic<br>Chronic 2;H317-H411,-   |
| Acetyl cedrene                                   | 32388-55-9 | 251-020-3 |                        | 0.1-<1% | Skin Sens. 1B-Aquatic<br>Acute 1-Aquatic<br>Chronic 1;H317-H410,-                        |
| Linalyl acetate                                  | 115-95-7   | 204-116-4 |                        | 0.1-<1% | Skin Irrit. 2-Skin Sens.<br>1B;H315-H317,-   |
| Methyl atrarate                                  | 4707-47-5  | 225-193-0 |                        | 0.1-<1% | Skin Sens. 1B;H317,-   |
| alpha-Cedrene                                    | 469-61-4   | 207-418-4 |                        | <0.1%   | Asp. Tox 1-Aquatic<br>Acute 1-Aquatic<br>Chronic 1;H304-H410,-                           |
| beta-Cedrene                                     | 546-28-1   |           |                        | <0.1%   | Asp. Tox 1-Aquatic<br>Acute 1-Aquatic<br>Chronic 1;H304-H410,-                           |

## **Substances with Community workplace exposure limits:**

| Name              | CAS     | EC        | REACH Registration No. | %       | Classification for (CLP) 1272/2008 |
|-------------------|---------|-----------|------------------------|---------|------------------------------------|
| Diethyl phthalate | 84-66-2 | 201-550-6 |                        | 0.1-<1% | -;-,-                              |

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

# Section 4. First-aid measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

The Old Mill Collection, No 9 Chestnut Road, The Old Mill Estate, Bradley Village, Wrexham, LL11 4BX

Page 3 (8)

Issue date: 11/02/2022 Version: 3 (04/10/2021)



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Candle - Rock Salt & Driftwood (10%) FRAG0860-C10%

Version: 3

**Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. **Skin exposure:** Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if

irritation persists.

**Ingestion:** Rinse mouth with water and obtain medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

None expected, see Section 4.1 for further information.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## Section 5: Firefighting measures

## 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

# 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

## 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

## 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate



THE OLD MILL COLLECTION

Issue date: 11/02/2022 Version: 3 (04/10/2021)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candle - Rock Salt & Driftwood (10%) FRAG0860-C10%

Version: 3

ventilation Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 7.3 Specific end use(s):

Indoor Candle: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

## 8.1 Control parameters

Workplace exposure limits:

| Ingredient        | CAS     | EC        | Description            | Value    |
|-------------------|---------|-----------|------------------------|----------|
| Diathyl shthalata | 84-66-2 | 201-550-6 | UK WEL Long term mgm3  | 5 mg/m³  |
| Diethyl phthalate | 04-00-2 |           | UK WEL Short term mgm3 | 10 mg/m³ |

### **8.2 Exposure Controls**

#### **Eve / Skin Protection**

Wear protective gloves/eye protection/face protection

## **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

#### Section 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Not determined

Not determined

Not determined

Not determined



Issue date: 11/02/2022

Version: 3 (04/10/2021)



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Candle - Rock Salt & Driftwood (10%) FRAG0860-C10%

Version: 3

Melting point / freezing point:

Initial boiling point / range:

Not determined

Flash point: > 93 °C

**Evaporation rate:**Not determined
Flammability (solid, gas):
Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined Not determined Solubility(ies): Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Not expected Oxidising properties:

**9.2 Other information:** None available

## Section 10. Stability and reactivity

# 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

## 10.2 Chemical stability:

Good stability under normal storage conditions.

## 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

## 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

## **Section 11. Toxicological information**

## 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).



THE OLD MILL

Issue date: 11/02/2022

Version: 3 (04/10/2021)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candle - Rock Salt & Driftwood (10%) FRAG0860-C10%

Version: 3

This material does not meet the criteria for classification for health hazards under Regulation (EC) No 1272/2008.

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral Not Applicable
Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Based on available data the classification criteria are not met. Serious eye damage/irritation: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Respiratory or skin sensitisation: Based on available data the classification criteria are not met. Germ cell mutagenicity: Carcinogenicity: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Reproductive toxicity: Based on available data the classification criteria are not met. STOT-single exposure: STOT-repeated exposure: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. **Aspiration hazard:** 

### Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

## Section 12. Ecological information

# 12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **Section 14. Transport information**

| 14.1 UN<br>number: | 14.2 UN Proper Shipping Name: | 14.3<br>Transport | Sub Risk: | 14.4 Packing<br>Group: |
|--------------------|-------------------------------|-------------------|-----------|------------------------|
|                    |                               | hazard            |           |                        |
|                    |                               | class(es):        |           |                        |



THE OLD MILL COLLECTION

Issue date: 11/02/2022

Version: 3 (04/10/2021)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Candle - Rock Salt & Driftwood (10%) FRAG0860-C10%

Version: 3

| UN Model<br>Regulations | None | - |  | - |
|-------------------------|------|---|--|---|
| IMDG                    | None | - |  | - |
| ADR,RID,ADN             | None | - |  | - |
| ICAO TI                 | None | - |  | - |

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

## Section 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture None additional

## 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

**Concentration % Limits:** EH C3=14.71%

**Total Fractional Values:** EH C3=6.80

Key to revisions:

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.3. Transport hazard class(es)

14.4. Packing group

Classification under Regulation (EC) No 1272/2008

Classification under Regulation (EC) No 1272/2008

Concentration % Limits

Information about hazardous ingredients in the mixture

Product identifier

SECTION 3: Composition/information on ingredients

**Total Fractional Values** 

Workplace exposure limits

# Key to abbreviations:

| Abbreviation      | Meaning  |  |
|-------------------|--|--|
| Aquatic Acute 1   | Hazardous to the Aquatic Environment - Acute Hazard Category 1     |  |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |  |



Issue date: 11/02/2022 Version: 3 (04/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: Candle - Rock Salt & Driftwood (10%) FRAG0860-C10%

Version: 3

| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2   |
|-------------------|--|
| Asp. Tox 1        | Aspiration Hazard Category 1   |
| Eye Irrit. 2      | Eye Damage / Irritation Category 2   |
| H304              | May be fatal if swallowed and enters airways.  |
| H315              | Causes skin irritation.  |
| H317              | May cause an allergic skin reaction.   |
| H319              | Causes serious eye irritation.   |
| H410              | Very toxic to aquatic life with long lasting effects.  |
| H411              | Toxic to aquatic life with long lasting effects.   |
| P261              | Avoid breathing vapour or dust.  |
| P264              | Wash hands and other contacted skin thoroughly after handling.   |
| P272              | Contaminated work clothing should not be allowed out of the workplace.   |
| P273              | Avoid release to the environment.  |
| P280              | Wear protective gloves/eye protection/face protection.   |
| P301/310          | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  |
| P302/352          | IF ON SKIN: Wash with plenty of soap and water.  |
| P305/351/338      | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P331              | Do not induce vomiting.  |
| P333/313          | If skin irritation or rash occurs: Get medical advice/attention.   |
| P337/313          | If eye irritation persists: Get medical advice/attention.  |
| P362              | Take off contaminated clothing and wash before reuse.  |
| P363              | Wash contaminated clothing before reuse.   |
| P391              | Collect spillage.  |
| P405              | Store locked up.   |
| P501              | Dispose of contents/container to approved disposal site, in accordance with local regulations.                                   |
| Skin Irrit. 2     | Skin Corrosion / Irritation Category 2   |
| Skin Sens. 1      | Sensitization - Skin Category 1  |
| Skin Sens. 1B     | Sensitization - Skin Category 1B   |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.